




LAMINATE



DISCOVER A WORLD YOU'D LOVE TO LIVE IN




06



12



32



33

GET INSPIRED

12 **Natural**

The natural materials and earthy shades of these floors bring a truly authentic style to your home.

18 **Chic**

CHOOSE YOUR FLOOR

32 **Types of finishing and bevels**

34 **Overview range**

INSTALL & FINISH

40 **How to install?**

42 **A perfect finish**

45 **Clean & care**

E GOAL
CREATE A
S A TREND
A CLASSIC
”

UP TO 10x MORE SCRATCH RESISTANT

UP TO 10x MORE SCRATCH RESISTANT

The top layer of a Quick • Step® laminate floor has an **extra protective layer**, so you can enjoy your beautiful, natural looking floor for even longer. Thanks to this Scratch Guard Technology, **which is the result of years of research and investment in the field of durability**, Quick • Step® floors are up to ten times more scratch resistant than floors without Scratch Guard.

EASE OF INSTALLATION



Use the revolutionary and patented Uniclic® or Uniclic® Multifit system to effortlessly click the planks together. Both systems are **very easy to use**, a lot **faster** and a lot **more solid** than other systems. Installation becomes a breeze, even in the smallest corners of the room. More information on page 41.

WWW




Photo courtesy of N. Davis

QUALITY DOWN TO THE SMALLEST FIBRE

To make sure you can enjoy your Quick • Step® floor for many years, we commit ourselves to deliver uncompromised quality, from the raw material to the finished product. We combine our expertise and commitment to obtain perfect quality which will give you a lifetime of pleasure.

ANTISTATIC SURFACE



An end to annoying electrostatic discharges. Every Quick • Step® floor has been given a unique, permanent anti-static treatment. As a result, your floor will attract significantly less dust. This technology has been patented by Quick • Step®.

TOTAL FLOOR SOL

Quick • Step® offers you much more than just a floor. With our range of **matchi** finish your floor to perfection. From stair finish accessories to maintenance products, we help you maintain and finish your floor. You can always rely on our skilled technicians and share their expert tips and tr





HYGIENIC SURFACE EASY TO MAINTAIN

You won't have many concerns about the maintenance of your Quick • Step® floor, as the sealed surface prevents bacteria accumulating on the floor. This is a great way to prevent allergies. Discover our cleaning products on page 45.

SUITABLE FOR FLOOR HEATING AND COOLING



Select the right underlay and install your floating Quick • Step® floor. This way, you can enjoy floor heating and cooling without any worries. Check our new underlays on page 40.

LIGHT AND SUN-RESISTANT






ASSORTMENT A WEALTH OF OPTIONS

If you want to improve the value, comfort and atmosphere of your home, laminate flooring is an excellent choice. Due to our wealth of colours and styles, you will always find the perfect companion for your interior. Discover more on page 32.

A HEART FOR NATURE

With Quick • Step® you are bringing an environmentally friendly floor into your home. The PEFC certification guarantees that all the wood used to manufacture our HDF core boards is sourced from sustainably managed forests. In addition, Quick • Step® also obtained the Environmental Product Declaration (EPD). This internationally recognised certificate indicates the environmental performance of Quick • Step® laminate floors throughout their entire life cycle. Ongoing monitoring and improvements brought to its environmental impact see Quick • Step® actively and tirelessly contributing to a better living environment.








OKRA

perfe
or co
unde



DON'T FORG


For a seamless
walls, Quick•Style
same colour as
(see page 44).





TIP
Want
Visit
online
select
which

pic




MIDNIGHT OAK NATURAL | CLASSIC GSM 057

CARMINING



LIGHT GREY OILED OAK







DON'T FORGET

For a seamless transition
Quick • Step® has matching S
floor and with a matching str








5[®] laminate floors open new doors to creativity. Express your personality and make your home yours. They set the stage for you to create spaces that make you feel at home.


TYPES OF FINISHING





Original wood/stone structure
 Surface finish which matches the natural variety and original appearance perfectly.





Matt finish
 A soft finish resulting in a contemporary look.




Lacquered finish
 Smooth finish with a high-gloss polish.





Authentic finish
 Unique aged finish on rustic floors. It mirrors the woodgrain pattern of natural wood making the surface look and feel like genuine hardwood.



Saw cut finish
 The saw cuts underscore the worn appearance of the planks, whilst highlighting the grain of the wood variety to an even more gorgeous effect.

TYPES OF BEVELS



IDE PLANKS


1 BOX: ±2,522 M²

- 120 cm x 19 cm
- 138 cm x 15.6 cm
- 138 cm x 19 cm
- 205 cm x 20.5 cm




POPULAR TILE DESIGN WITH A TACTILE SURFACE STRUCTURE


LENGTH: 122.4 CM | WIDTH: 40.8 CM | THICKNESS: 8 MM | 1 BOX: ±1 M²




WHITE VINTAGE OAK PLANKS
LARGO / PU 1285




DOMINICANO OAK GREY PLANKS
LARGO / PU 1663*




AUTHENTIC OAK PLANKS
LARGO / PU 1505




TIVOLI TRAVERTINE
EXQUISIA EXQ 1556




CERAMIC WHITE
EXQUISIA EXQ 1553*




CERAMIC LIGHT
EXQUISIA EXQ 1554*



CAMBRIDGE OAK DARK PLANKS
LARGO / PU 1664*



NATURAL RUSTIC OAK PLANKS
LARGO / PU 1397



DARK VINTAGE OAK PLANKS
LARGO / PU 1287

ical – in fact they are the longest and widest planks in our range – and they’ll make your room special too. de class and quality.

n of Quick-Step laminate planks ate an extra sense of space

WHAT IS EXQUISIA?

Quick-Step Exquisa features innovative ceramic-look floors. Tivoli Travertine (EXQ1556) is a 3 in 1 design. It c cross joints. Exquisa is fast and easy to lay thanks to the large laying format and Uniclic Multifit technology.

- Subtle joints accentuate every tile of your floor
- Playful and exciting: 1 plank subdivided into one or more tiles


PLANK FLOORS

1 BOX: ± 1,7222 M²




Class 32 - AC4
EN 13329


- 120 cm x 19 cm
- 138 cm x 15,6 cm
- 138 cm x 19 cm
- 205 cm x 20,5 cm




LIGHT GREY VARNISHED OAK PLANKS
ELIGNA UM 1304




WHITE VARNISHED OAK PLANKS
ELIGNA U 915




VARNISHED BEECH PLANKS
ELIGNA U 866




VINTAGE OAK NATURAL VARNISHED PLANKS
ELIGNA U 995




NATURAL VARNISHED CHERRY PLANKS
ELIGNA U 864




DARK VARNISHED CHERRY PLANKS
ELIGNA U 865




HOWAGE OAK NATURAL OILED PLANKS
ELIGNA U 1157




VINTAGE OAK DARK VARNISHED PLANKS
ELIGNA U 1001



OLD OAK MATT OILED PLANKS
ELIGNA U 312



RECLAIMED CHESTNUT ANTIQUE PLANKS
ELIGNA WIDE UW 1543




RECLAIMED CHESTNUT BROWN PLANKS
ELIGNA WIDE UW 1544



RECLAIMED CHESTNUT NATURAL PLANKS
ELIGNA WIDE UW 1541



DARK GREY VARNISHED OAK PLANKS
ELIGNA UM 1305



BLACK VARNISHED OAK PLANKS
ELIGNA UM 1306



WENGÉ PLANKS
ELIGNA U 1000

ELIGNA WIDE

WIDE AND RUSTIC PLANK FLOORS

UW: LENGTH: 138 CM | WIDTH: 19 CM | THICKNESS: 8 MM | 1 BOX: ± 1,8354 M²



WHAT IS ELIGNA?

The Quick-Step Eligna collection is strikingly beautiful thanks to the excellent balance between length and width of plank floors, you'll generate a soft and tasteful effect.

Eligna Wide adds an extra dimension to this collection. These natural floors have extra wide planks that show off

LAMINATE FLOORS

20K ± 1,8240 M²



Class 32 - AC4
EN 13329


UNICLIC®
PATENTED TECHNOLOGY

120 cm x 19 cm


138 cm x 15,6 cm

138 cm x 19 cm


205 cm x 20,5 cm




MOONLIGHT OAK LIGHT PLANKS
CLASSIC QSM 076




NATURAL VARNISHED OAK PLANKS
CLASSIC QSM 033




MIDNIGHT OAK NATURAL PLANKS
CLASSIC QSM 057



LIGHT GREY OILED OAK PLANKS
CLASSIC QSM 034



MERBAU PLANKS
CLASSIC QST 077



THE DETAILS MAKE THE DIFFERENCE ACCESSORIES

Discover all Quick • Step® accessories for a perfectly finished floor.
There's a solution for every situation, it's easy and you get a professional result.

laminate floor. In this range you will find a combination of relationships between colour and style and a



QUICK•STEP®

ABSORBING

quality and maintain their
Which means they will
as the tapping of high heels.

UNICLIC® MULTIFIT

lays prevents parts of the
between the Uniclic® tongue

erlays offer a stable base
em.

T DAMP TOO

will reduce preparation time
by half. The damp-proof and
(PM) with an adhesive strip has
levelling underlay.
nd effort.

TING

table atop floor heating systems.
rmation or ask your retailer



QUICK•STEP® COMBI-LAY STANDARD

The benchmark underlay for all applications
1 roll: 20 m² or 50 m²
Thickness: 2 mm

QUIET•STEP® COMBI-LAY

The underlay by which all other underlays are measured when looking to reduce
walk sound and minimize multi-storey noise.
1 roll: 20 m² or 50 m²
Thickness: 2 mm

WWW

www.quick-step.com

Laying a Quick•Step® floor is easy thanks
to the patented and world-famous Uniclic®
and Uniclic® Multifit click systems.

Both systems are very user-friendly, a lot
faster and a lot more solid than other
systems. It makes laying easier, even in
the smallest corners of the room.

HOW DOES IT WORK ?

You will find yourself fitting your floor in a
'click', very swiftly and with the
greatest ease.





METHOD 1: ROTATE AND CLICK




Click the panels into each other along the long side of

METHOD 2: HORIZONTAL INSERTION



Ideal for awkward corners. Unlike most other systems
joined together horizontally. This is essential when you
or in places where it is difficult or even impossible to
door frames or heating units, for example).

METHOD 3: SLIDE AND CLICK



Click the panel into place along the long side, slide the
of the plank against the previous panel and press down

The Exauis range with long (+ 120 cm) and extra w

If you're a bit of a dab hand at DIY, you can easily finish or renovate your stairs yourself.

Incizo®

profile is

used for
air, in

®




1. How can I join two floors of the same height?

With the Incizo® profile, cut as an expansion profile.




3. How can I solve variations in height - from one floor to another?

Use the Incizo® profile, cut as an adaptor profile.



2. How do I finish my Quick-Step® laminate floor along a wall or a window?

You can cut the Incizo® profile into a clean end profile.




4. How can I connect my laminate floor to a carpet, and have a beautiful finish?

Use the Incizo® profile, cut as a transition profile.




1. Glue the plank to the riser. The spacers ensure that sufficient space is left underneath to fit in the step.




3. Apply glue to the sub-profile and the step. Spread the glue out across the sub-profile.



5. Apply glue to both sides of the Incizo® base.



Sleek and modern finish.



Transition between the top step and the rest of your floor.

Incizo® laminate profile QSI(-)

- > Dimensions: 21,5 cm x 4,8 cm x 1,3 cm
- > Content: 1 Incizo®, 1 splitter and 1 plastic rail.

Incizo® aluminium sub-profile for stairs QSIBASE(-)

- > Dimensions: 21,5 cm x 7,1 cm x 1,7 cm
- > To be ordered separately, including plastic strip.
- > Incizo® stairs finishing not for commercial applications.

WWW

Check out our
installation video on
www.quick-step.com



STAIR?

It gives you a whole string of solutions for your stairs.



boards with perfectly matching

MINIMATE

ke the rough and tumble

TY

e same warranty as
ears and years

TOP CONDITION IS EASY

QUICK • STEP® CLEANING KIT QSCK

All Quick • Step® floors are low-maintenance. They stay clean with the Quick • Step® cleaning kit. Practical and easy to use, it comes with a mop holder and a mop you can wash and the Quick • Step® cleaning product. You

Also available individually:


- > **Quick • Step® Cleaning mop**
QSRMC
- > **Quick • Step® Cleaning product 750 ml**
QSM750



QUICK • STEP® REPAIR KIT QSREPAIR

Recreate the colour of damaged planks quickly and easily with 7 selected to cover all Quick • Step® floor colours.

Content: one melting knife, one cleaning comb, 7 wax blocks.




SCOTIA

A discreet finish to your floor which can also be combined with an existing skirting board if necessary. It perfectly matches the colour of your Quick Step laminate floor.

240 cm x 1,7 cm x 1,7 cm

the layout of your room, and choosing the colour scheme for both your furniture and walls.
until you find what suits you best.



QUICK-STEP® LARGO
Extra long and extra wide planks



QUICK-STEP® ELIGNA
Beautiful and balanced plank floors



QUICK-STEP® ELIGNA WIDE
Wide and rustic plank floors




QUICK-STEP® CLASSIC
Traditional and stylish laminate floors

QUICK-STEP® EXQUISIA

Popular tile design with a tactile surface structure

8 mm $\frac{1}{8}$ "

1 plank with one or more tiles




Premium

FLOORS AUSTRALIA

Sydney	Tel.: (02) 9982 3777
Melbourne	Tel.: (03) 9798 0808
Brisbane	Tel.: (07) 3273 3111
Adelaide	Tel.: (08) 8345 0455
Tasmania	Tel.: (03) 9798 0808
Northern Terr.	Tel.: (08) 8345 0455
Perth	Tel.: (08) 9240 1966

Commercial Division Tel.: (03) 9798 0808

► QUICK • STEP® FLOOR ADVISOR



Want to see this floor in your interior?
Visit www.quick-step.com and try out our
online floor advisor! Upload your interior,
select your favorite floor and determine
which floor fits best inside.



www.facebook.com/QuickStepFloors



[@QuickStepFloor](https://twitter.com/QuickStepFloor)

► your Quick•Step® POINT OF SALE

